



Research paper

Selective photocatalytic oxidation of aromatic alcohols in water by using P-doped g-C₃N₄

Marianna Bellardita^a, Elisa I. García-López^{a,*}, Giuseppe Marci^a, Igor Krivtsov^{b,c}, José R. García^b, Leonardo Palmisano^a

^a “Schiavella-Grillone” Photocatalysis Group, Dipartimento di Energia, Ingegneria dell'informazione e modelli Matematici (DEIM), Università di Palermo, Viale delle Scienze, 90128, Palermo, Italy

^b Departments of Organic and Inorganic Chemistry, Physical and Analytical Chemistry, University of Oviedo-CINN, 33006, Oviedo, Spain

^c Nanotechnology Education and Research Center, South Ural State University, Chelyabinsk, 454080, Russia

ARTICLE INFO

Keywords:

G-C₃N₄
Photocatalysis
Doped carbon nitride
Selective oxidation
Aromatic alcohols

ABSTRACT

A set of bare and P-doped graphitic carbon nitride (g-C₃N₄) photocatalysts has been prepared by thermal condensation of melamine, urea or thiourea. For the sake of comparison, a g-C₃N₄ sample obtained in the presence of cyanuric acid and thermally exfoliated C₃N₄ powders were also studied. The materials were physicochemically characterized and their photocatalytic activity was studied for the selective oxidation of benzyl alcohol (BA), 4-methoxy benzyl alcohol (4-MBA) and piperonyl alcohol (PA) in water suspension both under UV and visible light irradiation. The influence of the type and position of the substituents on conversion and selectivity to aldehyde was remarkable. The presence of P in the C₃N₄ material improved the selectivity of the reaction towards the aldehyde.

1. Introduction

Heterogeneous photocatalysis is a technology widely applied to unselectively obtain the complete mineralization of pollutants. However, its feasibility to selectively oxidize and reduce substrates producing higher value chemicals has been recently proved, demonstrating the possibility to use this technology as a green alternative to industrial catalytic oxidation reactions [1]. The selective oxidation of aromatic alcohols to obtain the corresponding aldehydes has been carried out, in some cases with high yields, in the presence of TiO₂-based photocatalysts both in organic [2] and in water solvents [3]. The formation of hydroxyl radicals in the presence of UV irradiated TiO₂ leads to the mineralization of organic substrates by unselective attack, although the use of an alternative material possessing lower oxidant ability could result a good choice to obtain partially oxidised products. Also other materials have been used for the same purpose in alternative to TiO₂ [4]. In this context, carbon nitride (C₃N₄), a cheap, metal-free and non-toxic material, which is easily prepared, has recently attracted great attention to perform selective photocatalytic oxidations due to its suitable thermodynamic and physicochemical properties. Graphitic carbon nitride (g-C₃N₄), the most stable polymorph among C_xN_y species, due to the similar layered structure of graphene, is a polymeric semiconductor which can be considered a breakthrough in the

development of sustainable photocatalysts [5]. Notably, it can be activated by UV light and by a fraction of the visible spectrum of the solar irradiation, due to its quite small band gap value (ca. 2.7 eV). The low oxidant ability of C₃N₄ can be explained by considering the value of the upper edge of its valence band, which is not enough positive to oxidize water to hydroxyl radicals. Moreover, the electronic features and the tuneable structure and morphology of C₃N₄ make possible its successful use in the field of selective photocatalytic oxidation [6], environmental remediation and energy conversion and storage [7].

C₃N₄ has been mainly studied for water photo-splitting, oxidation and dehydrogenation of organic compounds, and reduction of CO₂. The highly negative conduction band value is responsible for the strong reduction ability of the photogenerated electrons [8]. Wang et al. used g-C₃N₄ as photocatalyst for the first time, and they observed an efficient H₂ production by using visible light [9]. However, the bare g-C₃N₄ often exhibits low photocatalytic efficiency owing to its small specific surface area (2–10 m²/g), low absorption in the visible region, formation of grain boundary defects leading to fast recombination of charge carrier pairs, and scarce charge mobility, compared to metals and oxides [10]. Consequently, some modifications are needed to improve its photocatalytic activity and for this purpose many strategies have been applied. Among them, morphology modulation, surface functionalization, thickness control, electronic state regulation, and

* Corresponding author.

E-mail address: elisaisabel.garcialopez@unipa.it (E.I. García-López).

<http://dx.doi.org/10.1016/j.apcatb.2017.08.033>

Received 16 June 2017; Received in revised form 5 August 2017; Accepted 10 August 2017

Available online 14 August 2017

0926-3373/ © 2017 Elsevier B.V. All rights reserved.

mesoporous development can be cited [11]. Wang et al. summarized several methods to change the band structures of C_3N_4 , as for instance doping and copolymerization [12]. Zhou et al. reported the preparation of non-metal doped carbon nitride photocatalysts and their physico-chemical properties, together with their photocatalytic performances [13]. Shalom et al. obtained ordered hollow carbon nitride structure from cyanuric acid melamine complex as the precursor [14]. Also the coupling between carbon nitride and WO_3 [15] or CdS [16] has been approached. Jian et al. have reviewed the doping of C_3N_4 to use these materials as photocatalysts [17]. Zhang et al. prepared P-doped C_3N_4 by using dicyandiamide and an ionic liquid or a phosphate salt as the P source. The P-doping induced a better electric conductivity and an improvement in photocurrent generation [18]. Ran et al. prepared porous P-doped C_3N_4 nanosheets by combining P doping and thermal exfoliation of a bulk material [19]. They observed mid-gap states due to the P-doping which significantly increased the visible light photocatalytic H_2 -production compared to pristine C_3N_4 . Guo et al. used phosphorous acid to prepare P-doped C_3N_4 for the same reaction [20]. P doping caused a band gap energy decrease from 2.67 to 2.55 eV, and it was attributed to a less positive value of the upper edge of the valence band which moved from 1.67 to 1.44 eV, although the lower edge of the conduction band moved from -1.00 to -1.11 eV. This insight accounted for the photocatalytic H_2 evolution rate increase up to seven times under visible light irradiation. Jiang et al. prepared P and S co-doped graphitic carbon nitride obtaining a more efficient photocatalyst than its pure g- C_3N_4 or the single doped counterpart for the removal of tetracycline (TC) and methyl orange (MO). Authors claim that the introduction of P and S atoms introduced defects in the framework acting as centers to trap the photo-induced electrons, thus inhibiting the charge recombination [21].

Selective oxidation of alcohols to their corresponding aldehydes with O_2 or air is a very important chemical transformation by an industrial point of view, and consequently strong efforts have been made to develop also a wide variety of photocatalysts for these transformations [22–25]. In the present research, some pristine C_3N_4 and P-doped based carbon nitride materials have been prepared by thermal condensation of melamine, urea or thiourea. A C_3N_4 sample in the presence of cyanuric acid, and some thermally exfoliate powders were also prepared. The selective photo-oxidation of three aromatic alcohols, i.e. benzyl alcohol (BA), 4-methoxy benzyl alcohol (4-MBA) and piperonyl alcohol (PA) to the corresponding aldehydes was carried out in water by using all of the above materials whose behaviour was compared with two TiO_2 samples. The three alcohols were chosen because they bear different substituent groups which can influence conversion and selectivity. Indeed, it has been reported that the presence of a methoxy group in para position (4-methoxy benzyl alcohol versus benzyl alcohol), increased both reaction rate and selectivity to aldehyde when TiO_2 was used as the photocatalyst [25]. The further presence of a methoxy-alkane substituent in the piperonyl alcohol could also have influence. Notably, the aldehydes obtained from the partial photo-oxidation of the chosen alcohols, are important intermediates for the synthesis of fine chemicals, pharmaceuticals, and agricultural chemicals. Benzaldehyde (BAL) is employed to confer almond flavour to foods and fragrant products, and sometimes it is used also in cosmetic products. It is also industrially used as the precursor for other organic compounds, from pharmaceuticals to plastic additives. The photocatalytic partial oxidation of benzyl alcohol in water to obtain benzaldehyde has been reported by using TiO_2 [3,26] and C_3N_4 based photocatalysts [27–29]. The studies carried out in the presence of TiO_2 indicated ca. 38–42% selectivity to BAL formation. The maximum selectivity in the presence of C_3N_4 doped with 1% of Ru was found to be ca. 72%, but in this case a strong UV LED was used as the irradiation source and the system was continuously purged with argon. 4-Methoxybenzaldehyde (4-MBAD), called also anisaldehyde, obtained by the partial oxidation of 4-methoxybenzyl alcohol (4-MBA), is widely used in the pharmaceutical and perfumery industries. Previous photocatalytic studies carried out in the

presence of TiO_2 for partial oxidation of 4-MBA to 4-MBAD using water as the solvent, indicated that the selectivity was 60% [3] or 72% [26], depending on the type of TiO_2 used. Piperonal, the aldehyde derived from piperonyl alcohol oxidation, is an important intermediate for the production of cosmetic, pharmaceutical and agrochemical compounds. It is prepared by means of oxidation with chromic acid or ozonolysis with isosafrole, which are processes with a strong environmental impact. Piperonal formation by photocatalytic oxidation of piperonyl alcohol has been previously reported in the presence of TiO_2 under UV irradiation [30]. In that case, commercial and home-prepared TiO_2 samples have been tested and the best selectivity (ca. 35%) was obtained by using a home-prepared sample.

2. Experimental

2.1. Preparation of the photocatalysts

Melamine, urea and thiourea (Sigma-Aldrich, analysis grade) have been used as the precursors for the g- C_3N_4 preparation. Melamine (10 g), urea (20 g) or thiourea (20 g) were heated ($2^\circ C\ min^{-1}$) in a closed ceramic crucible up to $520^\circ C$ at $3^\circ C\ min^{-1}$ and left for 2 h until they were cooled down obtaining bulk graphitic carbon nitride, labelled as C_3N_4 -M, C_3N_4 -U or C_3N_4 -TU, respectively. Phosphorous doped C_3N_4 materials were prepared in the presence of $NH_4(H_2PO_4)$ by adding slowly 2 g of $NH_4(H_2PO_4)$ to aqueous suspensions containing melamine (10 g), urea (20 g) or thiourea (20 g). The final suspension was stirred at room temperature (ca. $25^\circ C$) for 1 h and then heated at $50^\circ C$ until complete dryness. The obtained powders were calcined in a closed ceramic crucible up to $520^\circ C$ ($3^\circ C\ min^{-1}$) and left for 2 h until they were cooled down. They were labelled as C_3N_4 -M-P, C_3N_4 -U-P or C_3N_4 -TU-P, respectively. A sample was prepared by dissolving 5.1 g of cyanuric acid in 100 mL of water and by slowly adding 5 g of melamine. The resulting white suspension was stirred for 1 h and then heated up to ca. $50^\circ C$ until complete dryness. The sample, obtained by means of the same thermal treatment above reported for the bare and P-doped C_3N_4 samples, was labelled as C_3N_4 -M-CyA. Moreover, two thermo-exfoliated carbon nitride samples were also prepared by spreading C_3N_4 -M (6 g) on the bottom of a ceramic bowl. Subsequently, a calcination was performed in static air atmosphere from 25 to $520^\circ C$ at 2 or $3^\circ C\ min^{-1}$, hence the temperature was maintained for 4 h at $520^\circ C$. The samples were labelled as C_3N_4 -TE-2 and C_3N_4 -TE-3, respectively. Commercial TiO_2 Evonik P25 and a home prepared TiO_2 sample were also used for the sake of comparison. In a previous paper, we have reported that TiO_2 prepared from $TiCl_4$ was particularly effective for selective oxidation reactions [30]. This powder was prepared by adding 10 mL of $TiCl_4$ to 500 mL of water under vigorous stirring. The resulting solution was stirred for 1 h at room temperature and then left to age for 6 days at room temperature. The final solid in the suspension was dialyzed by using a commercial Dialysis Tubing Membrane with MW 12,400 cut-off pores (Aldrich) against 4 L of water, which was replaced every day for 3 days until obtaining a pH = 5 of the permeate. Finally, the solid was recovered by means of a rotavapor at 323 K.

2.2. Physicochemical characterization of the materials

The crystalline phase of the samples was determined at room temperature by powder X-ray diffraction analysis (PXRD) carried out by using a Panalytical Empyrean apparatus, equipped with $CuK\alpha$ radiation source and PixCel1D (tm) detector. Specific surface areas (SSAs) were measured in accordance with the standard Brunauer–Emmet–Teller (BET) method from the nitrogen adsorption data by using a Micromeritics ASAP 2020. Infrared spectra of the samples in KBr (Aldrich) pellets were recorded with $4\ cm^{-1}$ resolution and 256 scans by using a FTIR-8400 Shimadzu spectrometer. Diffuse reflectance spectra (DRS) were obtained in air at room temperature in the 250–800 nm wavelengths range by means of a Shimadzu UV-2401 PC

spectrophotometer, with BaSO₄ as the reference material. The photoluminescence (PL) spectra were recorded by using a standard spectrofluorometer Edinburgh Instruments FLSP920, equipped with a 450 W Xe lamp as excitation source (a wavelength of 365 nm was selected for samples excitation). Mettler Toledo TGA/SDTA851 was used to investigate the thermal decomposition of g-C₃N₄ under an O₂ flow of 50 mL min⁻¹ in the temperature range 25–1000 °C. The binding energies of C, N and O in the samples were measured by X-ray Photoelectron Spectroscopy (XPS) by using a SPECS system equipped with a Hemispherical Phoibos analyzer operating in a constant pass energy, using MgK α radiation ($h\nu = 1253.6$ eV). Elemental analysis of the samples was carried out using an EDAX Oxford Instruments attachment to a Jeol JMS-6610LV scanning electron microscope. Scanning electron microscopy (SEM) observations were performed on the samples after deposition by sputtering of a thin gold layer, using a FEI Quanta 200 SEM microscope operating in high vacuum at 20 kV.

2.3. Photocatalytic reactivity

The photocatalytic experiments were carried out by using two different set-ups. In the first one, a Pyrex cylindrical photoreactor (internal diameter: 32 mm, height: 188 mm) containing 150 mL of aqueous suspension was used. The photoreactor was irradiated externally by three Actinic BL TL MINI 15 W/10 Philips fluorescent lamps emitting in the 340–420 wavelengths range with the main emission peak at 365 nm. The lamps were fitted with 3 cm distance from the reactor axis. The impinging radiation energy in the range 315–400 nm was measured by a radiometer Delta Ohm DO9721 with an UVA probe and its average value was 2.7 W m⁻². In the second set-up, an annular Pyrex photoreactor (internal diameter: 36 mm, external diameter: 60 mm and height: 200 mm) containing 150 mL of aqueous suspension was used. A 100 W halogen lamp, placed in correspondence of the internal symmetry axis of the reactor, was used as the irradiation source. The average radiation energy impinging the reactor internal wall were ca. 2.10³ W m⁻² and ca. 0.5 W m⁻² in the 450–750 nm and 315–400 nm ranges, respectively. During the experiments, both reactors were open, and the equilibrium between dissolved O₂ in the aqueous suspension and in the atmosphere was achieved. The reaction was carried out at ca. 25 °C as the reactors were provided by a thimble where water was allowed to circulate. BA, 4-MBA and PA were used as the substrates, and their initial concentration in water was 0.5 mM at natural pH. Before starting the irradiation, 50 mg of catalyst (0.33 g L⁻¹) was added to the solution and the obtained suspension was kept in an ultrasonic bath for 10 min and stirred under dark for 30 min, to attain the adsorption equilibrium. In both set-ups all the photons emitted by the lamp in the range 315–400 nm were absorbed by the suspension. Throughout the reaction, samples of the irradiated suspension were withdrawn every 30 min and filtered through 0.25 μ m membranes (HA, Millipore) to separate the photocatalyst particles before the HPLC analyses. A Beckman coulter HPLC apparatus equipped with a Diode Array detector was used to identify and to determine the concentrations of the substrate and the intermediates. A Phenomenex KINETEK 5 μ m C18 column was used, and the eluent (0.8 mL min⁻¹) consisted of a mixture of acetonitrile and 13 mM trifluoroacetic acid (20:80 v:v). Standards purchased from Sigma-Aldrich with a purity > 99% were used to identify the products and to obtain the calibration curves.

3. Results and discussion

3.1. Characterization of the powders

The PXRD patterns of all of the graphitic C₃N₄ samples, reported in Fig. 1, show the presence of only g-C₃N₄ phase for bare and P-doped samples, indicating that the precursors are completely condensed and no crystalline impurities of phosphates are present. The intensity of the diffraction maxima measured for the P-doped samples is lower with

respect to the bare samples. This behaviour has been generally observed for exfoliated g-C₃N₄ materials, although we have noticed that in this case the disorder provoked by P-doping is not accompanied by exfoliation. One can notice the significant decrease of the peak intensity at 12.6° corresponding to (100) plane, probably evidencing a lower crystallinity degree compared to the bare g-C₃N₄. The position of the peak at 27° assigned to (002) plane barely changes with doping, indicating that the interplanar distance in the carbon nitride samples is not affected by the presence of P. This is in accordance with the study of Hu et. al who only observed the (002) peak shift for the P-doped carbon nitride samples prepared using ionic liquid as the phosphorous source [31].

FTIR spectra of all of the solids reported in Fig. 2, confirming the carbon nitride structure of the materials, showed no significant differences among the samples. The broad group of peaks ranging from 3500 to 3000 cm⁻¹ can be attributed to O–H and N–H stretching bands, due to the presence of hydroxyl adsorbed species and free amino groups on the surface [32–34]. The strong absorption bands in the range 1650–1200 cm⁻¹ are typical stretching vibrations modes of the heptazine heterocyclic ring (C₆N₇) units [35]. The absorption band at 1632 cm⁻¹ is attributed to C–N stretching, while at 1560 cm⁻¹ and 1410 cm⁻¹ are typical stretching vibration modes of C–N heterocycles [36–38]. The bands at 1325 cm⁻¹ and 1250 cm⁻¹ are attributed to the stretching vibration of C–NH–C units. The absorptions at 887 and 804 cm⁻¹ correspond to the N–H deformation and bending modes of the triazine units, respectively [39]. For the P containing samples the appearance of a wide band near 978 cm⁻¹ can be attributed to the stretching P–O–P of a phosphate [40]. The phosphate presence cannot be confirmed by the P=O stretching which is in the same range of the heptazine stretching modes. The poor resolution of this band can be explained by the contribution attributed to the stretching P–N (at 950 cm⁻¹) as reported by Hu in analogous spectra [31]. Even if the P–C–N stretching would also appear in the range 1110–920 cm⁻¹ we have to exclude it because no additional band appears at ca. 700 cm⁻¹ [41]. A further new band at ca. 490 cm⁻¹ is present in the samples containing P. In the C₃N₄-M-P sample, the band at 486 cm⁻¹ is very weak (Fig. 2(A)) and its intensity increases in the spectra of C₃N₄-U-P (492 cm⁻¹) and C₃N₄-TU-P (490 cm⁻¹) samples. This band can be assigned to P–O–P bending modes [40]. In the C₃N₄-TU-P a further contribution to this band appears at 526 cm⁻¹ assigned to P–S stretching mode [40]. Notably, the P–S stretching mode is confirmed by the shoulder at ca. 1050–970 cm⁻¹, which can be assigned to the P–S–C stretching [41].

The relatively low specific surface areas (SSA) of the g-C₃N₄ obtained by using thiourea or melamine as the precursors, have been reported in the range 4–7 m² g⁻¹, whilst values close to 70 m² g⁻¹ have been obtained for samples prepared at high condensation temperatures, although the yields were very low [42]. There are two general ways to increase the SSA of g-C₃N₄, i.e. to carry out the synthesis by hard or soft templating methods or to perform a post-synthetic exfoliation procedure [43]. The SSAs of the C₃N₄ based materials obtained in this research are reported in Table 1. Doping influenced the textural properties of the home prepared C₃N₄ materials depending on the precursors used. SSA values obtained for C₃N₄-M-P and C₃N₄-U-P decreased nearly twice with respect to the bare C₃N₄-M and C₃N₄-U samples, and the form of the hysteresis loops was different as well (Fig. 3A, B). Unlike the other two samples, the SSA of C₃N₄-TU-P increased ca. 6 times with respect to the bare g-C₃N₄ material due to the higher volume of the mesopores as shown in Fig. 3(C). The explanation of this unusual behaviour might be found by comparing the condensation pathways of urea and thiourea. Zhang et al. [44] proposed that the formation of CO₂ during urea condensation was responsible for the enhanced SSA of the formed g-C₃N₄, while the formation of CS₂ and H₂S had not the same effect on the development of porous structure in case of applying thiourea as a carbon nitride source. We suggest that the reaction of the mentioned by-products with oxygen of the added phosphates at high




Fig. 1. PXRD patterns of selected C_3N_4 based home prepared samples: (A) C_3N_4 samples prepared by using melamine as the precursor (a) C_3N_4 -M, (b) C_3N_4 -M-P; (B) C_3N_4 samples prepared by using urea as the precursor (a) C_3N_4 -U, (b) C_3N_4 -U-P; (C) C_3N_4 samples prepared by using thiourea as the precursor (a) C_3N_4 -TU, (b) C_3N_4 -TU-P; (D) C_3N_4 -CyA.

temperatures might result in the production of volatile gases favouring pores generation during the C_3N_4 -TU-P synthesis. Carbon nitride prepared from the melamine-cyanuric acid complex possesses a SSA of $70 \text{ m}^2 \text{ g}^{-1}$ (Table 1) that is a significantly higher value with respect to those of the other samples. The profile of adsorption-desorption isotherm of C_3N_4 -CyA implies a nonporous nature of carbon nitride layers constituting this sample, although a small hysteresis loop present on the adsorption-desorption isotherm indicates the presence of large mesopores corresponding to intersheet voids (Fig. 3(D)).

The optical properties of the samples have been investigated by means of UV-vis diffuse reflectance spectra (DRS) and photoluminescence (PL) measurements. Fig. 4 reports the DRS of the samples that show the typical broad absorption band which can be ascribed to the charge transfer process responsible for the intrinsic indirect band gap of $g\text{-}C_3N_4$ [45]. To determine the optical band-gap energies of the different C_3N_4 based materials, the Kubelka-Munk function $F(R)$ of the DRS corresponding to the absorbance, reported in Fig. 4, has been used. The band-gap values, reported in Table 2, were obtained by extrapolating a linear fitting in the Tauc plot [46], i.e. the plot of $(F(R)h\nu)^{1/2}$ vs incident light energy in eV by considering the powders as indirect semiconductors. DRS show some discrepancies in their absorption properties and hence in the band gap values.

As far as the photoluminescence (PL) results are concerned, very different spectra were obtained for the carbon nitride samples obtained from different sources. Significant quenching of the luminescence was observed for C_3N_4 -M-P compared to its bare counterpart (Fig. 5). This finding indicates the occurrence of a better charge separation in the P-doped sample. The presence of P species for all of the samples (with the exception of C_3N_4 -M-P sample) did not significantly influence the PL intensity. In particular, the effect of doping on the PL of C_3N_4 -U was negligible, whilst the intensity of PL of C_3N_4 -TU-P sample slightly increased compared to the bare sample (beware of the different intensity scaling of the spectra). As far as the C_3N_4 -CyA, C_3N_4 -TE-2 and C_3N_4 -TE-3 catalysts are concerned, a luminescence quenching was observed with respect to the C_3N_4 -M, and this effect was particularly evident for the latest two samples, due probably to the more highly ordered exfoliated

structure that did not favour the recombination of the photoproduct pairs.

Thermogravimetric (TG) analysis, showed in Fig. 6, allowed to determine the quantity of the dopant species. It is clearly seen that the amount of P_2O_5 after the combustion of carbon nitride is relatively large estimated to be similar for all of the samples and equal to 24.4, 34.2, 27.7 wt% for C_3N_4 -M-P, C_3N_4 -U-P, and C_3N_4 -TU-P, respectively. It is also worth mentioning that the presence of phosphorous containing species affects the combustion process of $g\text{-}C_3N_4$, which is especially clearly seen for C_3N_4 -U-P and C_3N_4 -TU-P. The carbon nitride sample prepared from the melamine-cyanuric acid complex showed a very similar thermal behaviour with respect to C_3N_4 -M and also to the other un-doped samples (Fig. 6(D)).

The presence of P as dopant is evident also from the XPS analysis. Indeed, the P_{2p} binding energy peaks of P-doped $g\text{-}C_3N_4$ centred at ca. 133.5 eV (133.4–133.6 eV) are typical for a P–N coordination [18], indicating the presence of P incorporated into the $g\text{-}C_3N_4$ structure (Fig. 7(A)). Thus, the phosphorus heteroatom can replace the corner or bay carbon in the structure forming P–N bonding in the doped C_3N_4 or, as reported by Hu et al. [31], it occupies interstitial positions forming two P–N bonds (see also FTIR results, Fig. 2). Moreover, the presence of phosphate or pyrophosphate groups incorporated into the $g\text{-}C_3N_4$ cannot be excluded. The content of phosphorous in the P-doped carbon nitrides is not the same in all of the samples; the lowest XPS surface concentration of P is observed for C_3N_4 -M-P, whilst the largest concentration is found in C_3N_4 -TU-P sample (Table 3). It is worth mentioning that oxygen content in the P doped carbon nitrides is higher than that of the undoped ones (Table 3) which is in accordance with the previously discussed FTIR data evidencing the presence of O–P–O bonds. The surface concentration of P rising in the order C_3N_4 -M-P, C_3N_4 -U-P, to C_3N_4 -TU-P coincides with the trend shown by the SSA values. By taking into account that the bulk phosphorous content determined by TG and EDAX techniques is nearly identical for the mentioned samples, one might conclude that more exposed surface results in higher surface to bulk ratio of P-species.

According to Hu et al. [31], no significant differences have been




Fig. 2. FTIR spectra of selected C_3N_4 based home prepared samples: (A) C_3N_4 samples prepared by using melamine as the precursor (a) C_3N_4 -M, (b) C_3N_4 -M-P, (c) C_3N_4 -M-CyA; (B) C_3N_4 samples prepared by using urea as the precursor (a) C_3N_4 -U, (b) C_3N_4 -U-P; (C) C_3N_4 samples prepared by using thiourea as the precursor (a) C_3N_4 -TU, (b) C_3N_4 -TU-P.

Table 1

Specific surface area (SSA), mesopore volume (V) and N:P ratios calculated by EDAX for the prepared samples.

Samples	SSA [$m^2 g^{-1}$]	V [$cm^3 g^{-1}$]	EDAX elemental composition N:P
C_3N_4 -M	7	0.07	
C_3N_4 -U	28	0.13	
C_3N_4 -TU	5	0.04	
C_3N_4 -M-P	4	0.05	12.0
C_3N_4 -U-P	16	0.10	11.4
C_3N_4 -TU-P	28	0.20	14.3
C_3N_4 -M-CyA	70	0.43	

observed in the XPS peak positions of C and N after doping (see Fig. 7), however it can be affirmed that the presence of the phosphorous source obviously affects certain structural features of $g-C_3N_4$. The N2 to N1 peak area ratio, where N1 and N2 are the nitrogen atoms belonging to $C=N=C$ and $N-(C)_3$ units, respectively, decreased for the P-doped samples with respect to the pristine ones (Fig. 7(B)–(D), Table 3). This indicates that the presence of $NH_4(H_2PO_4)$ during the synthesis favours an improved condensation degree of the obtained material. Although the P-doping provokes certain structural changes in carbon nitride structure, the integration of P into heptazine units probably accounts

for only a small part of phosphorous content present in the samples, while it is mostly found in the surface region. It draws attention that approximately one of 10 nitrogen atoms in the carbon nitrides is present in the form of uncondensed N3 ($C-N-H$) species (Table 3), which is close to the N to P ratio established by the EDAX analysis (Table 1). Hence, one may suggest that surface amino-groups of $g-C_3N_4$ are the primary bonding sites for the P-species, as also observed by FTIR analysis. The XPS study of C_3N_4 -CyA sample reveals the lowest N3 to N1 peak area ratio among all the studied materials, which implies that it contains the smallest relative content of uncondensed amino-groups (Table 3, Fig. 7(E)).

The study of the XPS signals at low energy allows to determine the level of the valence band (VB) of a semiconductor. Generally the VB of $g-C_3N_4$ prepared from dicyanamide has been reported to be ca. 1.4 eV [47], however the choice of the precursor and the introduction of dopant species might affect this value by shifting it in either directions as it was reported earlier by measuring XPS VB region of various $g-C_3N_4$ [48–51]. In the present case the position of the VB of the doped and pristine carbon nitride are found to be almost the same as it is shown in Table 2 and in Fig. 8, indicating that doping with P mainly affects the CB potential of the C_3N_4 based materials. The CB estimated values are reported in Table 2.




Fig. 3. Adsorption-desorption N_2 isotherms obtained for selected samples: (A) C_3N_4 samples prepared by using melamine as the precursor (a) C_3N_4 -M, (b) C_3N_4 -M-P; (B) C_3N_4 samples prepared by using urea as the precursor (a) C_3N_4 -U, (b) C_3N_4 -U-P; (C) C_3N_4 samples prepared by using thiourea as the precursor (a) C_3N_4 -TU, (b) C_3N_4 -TU-P; (D) C_3N_4 -M-CyA.




Fig. 4. DR UV-vis spectra of C_3N_4 samples and of TiO_2 samples (P25 and HP).

Table 2

Position of valence and conduction bands and bandgap of bare and P-doped carbon nitrides.

Samples	VB [eV]	Egap [eV]	CB [eV]
C ₃ N ₄ -M	1.49	2.75	−1.26
C ₃ N ₄ -U	1.04	2.85	−1.81
C ₃ N ₄ -TU	1.41	2.80 (2.05)	−1.39
C ₃ N ₄ -M-P	1.41	2.75	−1.34
C ₃ N ₄ -U-P	1.04	2.84	−1.80
C ₃ N ₄ -TU-P	1.55	2.90 (2.15)	−1.35
C ₃ N ₄ -M-CyA	1.59	2.86	−1.27

3.2. Photocatalytic activity under UV or under visible light irradiation

Preliminary experiments indicated that the contemporary presence of O₂, catalyst and light was needed for the occurrence of partial oxidation of the three tested substrates.

All of the C₃N₄ based samples showed to be photoactive both under UV and Vis light irradiation for the photocatalytic partial oxidation of the three alcohols. The results obtained for the selective oxidation of BA, 4-MBA and PA in water are reported in Tables 4 and 5 but they are separately discussed in the following sections.

3.3. Photocatalytic oxidation of benzyl alcohol (BA)

During the BA photocatalytic experiments, benzaldehyde was obtained as the main product and, in some cases, also benzoic acid was found. The conversion of BA and its selectivity to benzaldehyde after 4 h of reaction in the presence of the C₃N₄ based materials are reported in Table 4.

The perusal of Table 4 shows that by irradiating the system with UV light, the C₃N₄-M, C₃N₄-U and C₃N₄-TU samples gave rise to a modest conversion of BA equal to 11, 16 and 13%, respectively. The conversion was the highest for the catalyst with the highest SSA. However, the

selectivity to benzaldehyde was significantly higher for C₃N₄-M and C₃N₄-U (ca. 65%) than for C₃N₄-TU (ca. 38%). A selectivity of ca. 35% towards the formation of benzoic acid was in any case observed, indicating that the carbon mass balance was fulfilled for the first two photocatalysts. On the contrary, the formation of other unknown intermediates was observed in the presence of C₃N₄-TU. The analogous P-doped C₃N₄ samples (C₃N₄-M-P, C₃N₄-U-P and C₃N₄-TU-P) were less active than the bare materials showing a lower conversion of benzyl alcohol (ca. 8%), but they showed a significant increase of selectivity to benzaldehyde (up to ca. 100%). Similar behaviour was observed for the C₃N₄-M-CyA sample, which showed a conversion close to that found for the pristine C₃N₄-M, but ca. 90% selectivity to benzaldehyde. The P-doped samples appeared to be less oxidant photocatalysts than the pristine C₃N₄, but more selective towards the formation of the aldehyde. It seems that the presence of P was able to avoid or to reduce the formation of benzoic acid. For the sake of comparison, the photocatalytic experiments carried out in the presence of thermo-exfoliated C₃N₄ and bare TiO₂ powders are reported in Table 5. The C₃N₄-TE powders resulted the most active ones as far as the BA conversion is concerned. In particular, in the presence of C₃N₄-TE-2 the conversion and the selectivity to benzaldehyde after 4 h were 33 and 56%, respectively, but after 2.5 h the figures were 19 and 77%, respectively; the latter values are very close to those achieved in the presence C₃N₄-TE-3 after 4 h of irradiation. The PL spectra, indicating a very small pairs recombination, appears in accord with the higher conversion observed also in the presence of the other two alcohols. Notably both TiO₂ Degussa P25 and home prepared TiO₂ (HP) are poorly active with a low selectivity to benzaldehyde.

Tables 4 and 5 report also results obtained under visible light irradiation. As a general consideration, the conversion values were lower for all of the powders, compared with those obtained under UV irradiation. In order to explain the decrease of the conversion under visible light irradiation (this insight was observed also for the others molecules studied) it can be considered that all of the catalysts are activated by UV




Fig. 5. Photoluminescence spectra of some C₃N₄ samples: (A) C₃N₄ samples prepared by using melamine as the precursor (a) C₃N₄-M, (b) C₃N₄-M-P; (B) C₃N₄ samples prepared by using urea as the precursor (a) C₃N₄-U, (b) C₃N₄-U-P; (C) C₃N₄ samples prepared by using thiourea as the precursor (a) C₃N₄-TU, (b) C₃N₄-TU-P; (D) (a) C₃N₄-M-CyA, (b) C₃N₄-TE-2, (c) C₃N₄-TE-3.




Fig. 6. TG analysis of selected C_3N_4 samples: (A) C_3N_4 samples prepared by using melamine as the precursor (a) C_3N_4 -M, (b) C_3N_4 -M-P; (B) C_3N_4 samples prepared by using urea as the precursor (a) C_3N_4 -U, (b) C_3N_4 -U-P; (C) C_3N_4 samples prepared by using thiourea as the precursor (a) C_3N_4 -TU, (b) C_3N_4 -TU-P; (D) C_3N_4 -M-CyA.

light and consequently the irradiation by halogen lamp (emitting essentially in the visible range) was able to produce only very small amounts of superoxide species responsible for the alcohol partial oxidation, as will be explained in the following. The selectivity to aldehyde decreased by using almost all of the C_3N_4 based photocatalysts with the exception of C_3N_4 -M and C_3N_4 -TE-3 samples for which a slight increase was found, but the presence of P was not beneficial for all of the samples. However, the results indicate that the C_3N_4 based materials

can be used under visible light irradiation quite successfully and their use is more advisable than that of TiO_2 . By concluding, the presence of P in the g- C_3N_4 samples was able to increase the selectivity versus the formation of benzaldehyde under UV irradiation, although the conversion of BA decreased. On the contrary, under visible light irradiation the presence of P was detrimental for both conversion and selectivity. These facts indicate that the presence of P reduced the oxidant ability of the pristine g- C_3N_4 . It is known that the formation of superoxide $\cdot O_2^-$




Fig. 7. XPS spectra of P (fig. A) and N 1s region (figs. B, C, D and E) obtained for selected samples.

Table 3
XPS data obtained for bare and P-doped carbon nitrides.

Samples	XPS Composition	N1:N2:N3 ratio	P peak position/ HWHM	O peak position/ HWHM
C ₃ N ₄ -M	C _{39.8} N _{56.9} O _{3.3}	1:0.21:0.12	–	531.8/1.5027
C ₃ N ₄ -U	C _{38.1} N _{59.7} O _{2.2}	1:0.24:0.07	–	531.4/2.374
C ₃ N ₄ -TU	C _{41.9} N _{55.4} O _{2.7}	1:0.15:0.09	–	531.6/2.087
C ₃ N ₄ -M-P	C ₃₇ N ₅₂ O _{7.7} P _{3.3}	1:0.20:0.13	133.6/1.226	531.8/1.734
C ₃ N ₄ -U-P	C ₃₆ N _{53.3} O _{6.6} P _{4.1}	1:0.12:0.09	133.4/1.183	531.4/1.820
C ₃ N ₄ -TU-P	C _{26.8} N _{44.5} O _{19.5} P _{9.2}	1:0.10:0.08	133.4/1.205	531.6/1.682
C ₃ N ₄ -CyA	C _{39.8} N _{57.2} O _{3.0}	1:0.19:0.06	–	533.6/1.70 536.0/1.06

radical species accounts for the oxidant ability of C₃N₄ in the partial oxidation photocatalytic process [42]. The formation of these species is due to trapping of the photo-produced electrons by O₂. Indeed, we have previously observed that the formation of the OH radicals by the well known mechanism reported by using TiO₂ as photocatalyst, does not occur in the presence of C₃N₄ because the value of the valence band is not positive enough to oxidize water to hydroxyl radicals [9–12]. In order to explain the reduced oxidant ability of P-doped C₃N₄, it can be hypothesized that phosphorous species in the C₃N₄ framework (see FTIR and XPS studies) were able to trap electrons reducing their availability in the CB and consequently the formation of the superoxide $\cdot\text{O}_2^-$ radical species. The electron trapping by P in the C₃N₄ framework can also account for the high quenching of the luminescence at least for C₃N₄-M-P sample compared to its bare counterpart. On the contrary, the presence of P species in the other samples did not significantly influence the PL intensity indicating that different factors can contribute to the decreased activity of the P-doped samples. Indeed, it can be taken into account the reduced SSA of the doped samples and a large quantity of phosphorus-species in the P-C₃N₄, which modifies the interaction of

the photocatalyst with the substrate to a great extent (being also the reason for the enhanced selectivity). Consequently, it can be concluded that these properties are responsible for the reduced activity of P-doped carbon nitride.

3.4. Photocatalytic partial oxidation of 4-methoxybenzyl alcohol (4-MBA)

The conversion of 4-MBA was much higher than that obtained for BA and the selectivity to 4-MBAD was remarkable in any case. The C₃N₄ pristine powders gave rise to a conversion of ca. 50% (slightly lower by using C₃N₄-TU), as reported in Table 4. Also in this case, the conversion was higher for the photocatalyst with the highest SSA. The P-doped samples gave rise to a lower conversion of the alcohol than the pristine C₃N₄, but the selectivity to aldehyde was generally higher, consequently the P-doped materials can be considered less oxidant photocatalysts than the corresponding bare ones. This behaviour is the same than that observed for BA partial oxidation and a similar explanation can be provided. Notably, in the presence of the C₃N₄-M-CyA photocatalyst both the selectivity to aldehyde and the conversion of 4-MBA increased with respect to the C₃N₄-M, and the conversion was ca. 40% higher compared to the bare C₃N₄-M.

In order to study the photocatalytic stability of the P-doped samples, four consecutive reusability experiments were carried out by using the C₃N₄-M-P sample (the most performant one). The results indicated a slightly decrease (ca. 8%) of the conversion of 4-MBA (from 44% to 40%, obtained in the first and the last experiment, respectively). On the contrary, the selectivity was always almost the same (ca. 82%). Moreover, the stability of the morphology of the sample was studied by SEM. Fig. 9 reports some pictures of the C₃N₄-M-P sample before and after the four experiment cycles. As it can be observed the typical lamellar structure of C₃N₄ was perfectly maintained.

As reported in Table 5, the activity of the thermo-exfoliated samples was remarkable. The home prepared TiO₂ powder was more active and selective than the commercial TiO₂ Degussa P25, although the results




Fig. 8. Valence band of the carbon nitride samples determined by low energy XPS analyses. (A) C₃N₄ samples prepared by using melamine as the precursor (a) C₃N₄-M, (b) C₃N₄-M-P; (B) C₃N₄ samples prepared by using urea as the precursor (a) C₃N₄-U, (b) C₃N₄-U-P; (C) C₃N₄ samples prepared by using thiourea as the precursor (a) C₃N₄-TU, (b) C₃N₄-TU-P; (D) C₃N₄-M-CyA.

Table 4

Conversion percentage (X) of BA, 4-MBA and PA and selectivity percentage (S) towards the corresponding aldehyde for runs carried out in the presence of C_3N_4 based materials after 4 h of irradiation.




Sample	BA				4-MBA				PA			
												
	UV		Vis		UV		Vis		UV		Vis	
	X	S	X	S	X	S	X	S	X	S	X	S
C_3N_4 -M	11	64	5	75	48	80	45	86	27	18	15	35
C_3N_4 -U	16	65	15	53	55	69	38	93	23	18	18	24
C_3N_4 -TU	13	38	11	36	42	78	23	100	22	23	15	29
C_3N_4 -M-P	8	100	5	52	44	82	23	87	27	17	11	46
C_3N_4 -U-P	7	84	5	45	39	86	27	87	27	14	14	20
C_3N_4 -TU-P	7	100	3	36	35	100	21	100	14	35	18	38
C_3N_4 -M-CyA	13	90	13	49	69	87	41	92	27	26	20	27

Table 5

Conversion percentage (X) of BA, 4-MBA and PA and selectivity percentage (S) towards the corresponding aldehyde for runs carried out in the presence of thermal exfoliated C_3N_4 and TiO_2 samples after 4 h of irradiation.

Sample	BA				4-MBA				PA			
	UV		Vis		UV		Vis		UV		Vis	
	X	S	X	S	X	S	X	S	X	S	X	S
C_3N_4 -TE-2	33	56	20	51	100	64	100	72	36	21	25	24
C_3N_4 -TE-3	17	69	14	77	91	72	42	84	30	26	10	22
P25	15	23	13	12	18	35	18	23	12	21	12	24
HP	7	37	5	23	27	49	20	56	18	22	10	22

obtained in the presence of the TiO_2 photocatalysts were modest in comparison to those obtained with the C_3N_4 based powders. The selectivity to 4-MBAD, reported for the C_3N_4 -TE-2 sample, was 64% at 100% conversion of 4-MBA after 4 h of UV irradiation. This value could appear not high with respect to those observed for the other samples. Nevertheless, it was observed that for higher conversion of alcohols a further oxidation of the aldehydes occurred with a consequent selectivity decrease. This appears clear by comparing the results obtained with the two most active catalysts, i.e. C_3N_4 -TE-2 and C_3N_4 -TE-3. By observing the figures reported in Table 5, it can be noticed that when C_3N_4 -TE-3 and C_3N_4 -TE-2 were used, the conversion was 91% and 100% respectively, but the corresponding selectivity decreased (72% and 64%, for the same materials after 4 h of irradiation). We suppose that adsorption-desorption processes of the substrate and the product




Fig. 9. SEM images of C_3N_4 -M-P sample before (A–C) and after four photocatalytic cycles (D–F) at different enlargements.

formed on the surface of the photocatalyst were responsible for the higher conversion reached in the presence of C_3N_4 -TE-2 sample after the same irradiation time. Moreover, it is worth noting that the selectivity in the presence of C_3N_4 -TE-2 was ca. 100% after just 2 h and 35% conversion. For higher conversion values, the selectivity decreased due to formation of unidentified intermediates, derived from a further oxidation of the aldehyde.

By comparing the selectivity to 4-MBAD reached in the presence of the various samples at irradiation times lower than 4 h, a selectivity of 100% was observed for the C_3N_4 -TE-2, C_3N_4 -TE-3, C_3N_4 -TU-P and C_3N_4 -M-CyA samples. This value was achieved when the conversion of 4-MBA was ca. 35%, whilst in the presence of the other materials the selectivity values at 35% conversion ranged between 80 and 90%. In the presence of both the TiO_2 samples, the selectivity appeared to be low, never reaching the value of 50%.

The conversion in the presence of the pristine C_3N_4 photocatalysts under visible irradiation slightly decreased with respect to that observed under UV light, but the selectivity increased in particular for C_3N_4 -U and C_3N_4 -TU samples. Moreover, the conversion decreased but the selectivity remained virtually the same by using the P doped C_3N_4 samples. The C_3N_4 -M-CyA sample was slightly less active but more selective; the same behaviour was observed for the thermo-exfoliated samples C_3N_4 -TE-2 and C_3N_4 -TE-3. It can be concluded that the bare C_3N_4 materials were efficient for the 4-MBA photo-oxidation to the corresponding aldehyde also under visible irradiation, with a slightly smaller conversion but an increased selectivity with respect to the UV irradiation. Also in this case the presence of P did not improve the performance of the pristine powder under visible light irradiation.

To explain the higher conversion of MBA than BA by using the same photocatalyst and experimental conditions, it is necessary to remind that the aromatic alcohols with electron donating substituent groups (EDG) as $-O-CH_3$ in different positions, show different photocatalytic reactivity and selectivity, at least in the presence of TiO_2 [25]. Indeed, the reaction rate and selectivity were dependent not only on the catalyst properties such as crystallinity and hydrophilicity, but also on the kind and position of the substituent groups of the aromatic alcohols [22,25,26]. It is already known that the aromatic alcohols showed selectivity values decreasing with the methoxy-substituent position in the aromatic ring according to the following order: para > ortho > meta. In the presence of two substituent groups, the overall oxidation rate increased while the selectivity decreased [25]. It has been reported that in the presence of TiO_2 the photo-oxidation rate of BA and the selectivity to aldehyde were lower than those observed for 4-MBA photooxidation. This result was also observed during the present investigation in the presence of C_3N_4 based photocatalysts. In the presence of the methoxy group in the para position of the benzylalcohol, both conversion and selectivity increased. The inductive and delocalization effects determined by the presence of the methoxy group in the aromatic ring hinder the oxidant attack which would cause substrate mineralization [52]. The EDG methoxy group is an ortho-para orienting group, and its presence in the para position induces the attack by oxidant species to the benzyl group, thus favouring the transformation of alcohol to aldehyde.

3.5. Photocatalytic selective oxidation of piperonyl alcohol (PA)

As reported in Table 4, C_3N_4 pristine powders gave rise to a conversion of PA in the range 22–27%. As a general comment, the selectivity was in any case lower compared with that obtained for the partial oxidation of BA and 4-MBA, probably because of the low stability of the penta-atomic ring under oxidant conditions, due to the presence of the methylenedioxylic group. Selectivity to piperonal was almost the same for all of the pristine C_3N_4 samples (ca. 20%). The presence of the P atom in the C_3N_4 materials did not substantially change the reactivity with the exception of the C_3N_4 -TU-P sample, for which the conversion of PA decreased and the selectivity to piperonal

increased. Notably, the presence of cyanuric acid in C_3N_4 -M-CyA gave rise to an increase in the selectivity to piperonal with respect to the bare C_3N_4 -M sample, although the conversion of PA was the same. It is worth to notice that both C_3N_4 -TU and C_3N_4 -TU-P showed the highest selectivity, although the conversion was lower. This phenomenon, observed for C_3N_4 -TU-P under UV irradiation, is less evident when the other two alcohols were reacted. The thermo-exfoliated C_3N_4 -TE-2 and C_3N_4 -TE-3 materials (Table 5) gave rise to a higher conversion than the graphitic C_3N_4 powders and the selectivity were among the highest. As far as the TiO_2 powders are concerned, it can be observed that their activity was poor in comparison to that observed in the presence of the thermo-exfoliated C_3N_4 , although the selectivity was comparable.

The experiments carried out by irradiating the system with a halogen lamp, analogously to what occurred for the other substrates, indicated that the conversion decreased, whilst the selectivity increased. The findings obtained suggest the possibility to exploit visible light for the photoreaction investigated. On the contrary, a significant decrease of activity in terms of conversion and selectivity was observed for the thermo-exfoliated samples under visible light irradiation.

Also for the photocatalytic partial oxidation of piperonyl alcohol, the role of the substituent in meta and para position with respect to the alcoholic group of the aromatic ring can be invoked. It has been mentioned above that, at least in the presence of TiO_2 as the photocatalyst, in the contemporary presence of two methoxy-substituent groups in meta and para positions, the overall oxidation rate of benzyl alcohol increased whilst the selectivity decreased [25,26]. A similar behaviour has been observed in this work, as the conversion of piperonyl alcohol (meta and para position in the aromatic ring are substituted) with respect to benzyl alcohol increased under the same experimental conditions and by using the same photocatalysts, but the selectivity decreased dramatically.

It is worth to mention that the reaction rate of piperonyl alcohol decomposition was always higher than the formation rate of piperonal. This results can be explained, in accord with a previous interpretation, by considering that photocatalytic oxidation of PA proceeds at least by two parallel pathways, the first of which gives rise to formation of piperonal and the other one to complete mineralization [53]. This behaviour was observed also for the other substrates when the runs were carried out in the presence of both TiO_2 samples. Moreover, for BA degradation runs carried out in the presence of C_3N_4 based catalysts, the disappearance rate of the substrate corresponded to the sum of the formation rates of benzaldehyde and benzoic acid, suggesting also in these cases the occurrence of two parallel reactions. On the contrary, the disappearance rate of the substrates was virtually the same as that of 4-methoxybenzaldehyde formation, throughout the first hours of 4-MBA oxidation runs in the presence of C_3N_4 based catalysts, and this finding suggests the occurrence of only one reaction pathway.

4. Conclusions

Bare and P-doped graphitic carbon nitride ($g-C_3N_4$) photocatalysts have been prepared by thermal condensation of melamine, urea or thiourea. The materials were physico-chemically characterized and the presence of phosphate was revealed along with the partial inclusion of P in the $g-C_3N_4$ network with no significant differences between the powders deriving from the three precursors. The photocatalytic oxidation of BA, 4-MBA and PA in air and water suspension of the synthesized materials both under UV and visible irradiation were studied. All of the $g-C_3N_4$ powders resulted active and selective towards the formation of the corresponding aromatic aldehydes. In general, the selectivity to aldehyde improved in the presence of P, while the alcohol conversion slightly decreased. This occurred both under UV and visible irradiation. Reactivity results evidenced that the presence of P in the C_3N_4 framework reduced the oxidant ability of the $g-C_3N_4$ materials, giving rise to a less pronounced conversion of the alcohols but to a higher selectivity towards the corresponding aldehyde. The

experiments carried out under visible light irradiation indicated once again that the less oxidant the system was, the higher the selectivity which was accompanied by a decrease in the alcohol conversion. On the other hand, the presence of cyanuric acid during the melamine condensation did not modify the oxidizing ability of the g-C₃N₄, increasing both the conversion of the alcohol and the selectivity, probably because this material (C₃N₄-M-CyA) possesses a higher SSA with respect to the bare C₃N₄-M sample. The influence of the type and position of the substituent on the conversion and selectivity to aldehyde was remarkable. The feasibility of the partial oxidation reaction, in fact, followed the order 4-MBA > PA > BA, found also before in the presence of TiO₂ as the photocatalyst. This finding indicates that the presence of the oxy-substituent in the aromatic ring enables an easier partial photocatalytic oxidation of the aromatic alcohol to aldehyde, also in the presence of the C₃N₄ based material.

Acknowledgements

University of Oviedo thanks for financial support Spanish MINECO (MAT2013-40950-R, CTQ2014-52956-C3-1-R and MAT2016-78155-C2-1-R) grants. I.K. is grateful for financial support of the Ministry of Education and Science of the Russian Federation (grant No 4.9722.2017/8.9).

References

- [1] D. Friedmann, A. Hakki, H. Kim, W. Choi, D. Bahnemann, *Green Chem.* 18 (2016) 5391–5411.
- [2] J.C. Colmenares, W. Ouyang, M. Ojeda, E. Kuna, O. Chernyayeva, D. Lisovyskiy, S. De, R. Luque, A.M. Balu, *Appl. Catal. B* 183 (2016) 107–112.
- [3] L. Palmisano, V. Augugliaro, M. Bellardita, A. Di Paola, E.I. Garcia-Lopez, V. Loddo, G. Marci, G. Palmisano, S. Yurdakal, *ChemSusChem* 4 (2011) 1431–1438.
- [4] J. Chen, J. Cen, X. Xu, X. Li, *Catal. Sci. Technol.* 6 (2016) 349–362.
- [5] M. Groenewolt, M. Antonietti, *Adv. Mater.* 17 (2005) 1789–1792.
- [6] J.Z. Bloh, R. Marschall, *Eur. J. Org. Chem.* (2017) 2085–2094.
- [7] J. Zhu, P. Xiao, H.L. Li, S.A.C. Carabineiro, *ACS Appl. Mater. Interfaces* 6 (2014) 16449–16465.
- [8] X. Li, J. Yu, M. Jaroniek, *Chem. Soc. Rev.* 45 (2016) 2603–2636.
- [9] X.C. Wang, K. Maeda, A. Thomas, K. Takanabe, G. Xin, J.M. Carlsson, K. Domen, M. Antonietti, *Nat. Mater.* 8 (2009) 76–80.
- [10] S. Zhang, J.H. Sun, K. Maeda, K. Domen, P. Liu, M. Antonietti, X.Z. Fu, X.C. Wang, *Energy Environ. Sci.* 4 (2011) 675–678.
- [11] W. Chen, T.Y. Liu, T. Huang, X.H. Liu, X.J. Yang, *Nanoscale* 8 (2016) 3711–3719.
- [12] X.C. Wang, S. Blechert, M. Antonietti, *ACS Catal.* 2 (2012) 1596–1606.
- [13] L. Zhou, H. Zhang, H. Sun, S. Liu, M.O. Tade, S. Wang, W. Jin, *Catal. Sci. Technol.* 6 (2016) 7002–7023.
- [14] M. Shalom, S. Inal, C. Fettekenhauer, D. Neher, M. Antonietti, *J. Am. Chem. Soc.* 135 (2013) 7118–7121.
- [15] S. Chen, Y. Hu, S. Meng, X. Fu, *Appl. Catal. B* 150–151 (2014) 564–573.
- [16] X. Dai, M. Xie, S. Meng, X. Fu, S. Chen, *Appl. Catal. B* 158–159 (2014) 382–390.
- [17] L. Jiang, X. Yuan, Y. Pan, J. Liang, G. Zeng, Z. Wu, H. Wang, *Appl. Catal. B* 217 (2017) 388–406.
- [18] Y.J. Zhang, T. Mori, J.H. Ye, M. Antonietti, *J. Am. Chem. Soc.* 132 (2010) 6294–6295.
- [19] J.R. Ran, T.Y. Ma, G.P. Gao, X.W. Du, S.Z. Qiao, *Energy Environ. Sci.* 8 (2015) 3708–3717.
- [20] S.E. Guo, Z.P. Deng, M.X. Li, B.J. Jiang, C.G. Tian, Q.J. Pan, H.G. Fu, *Angew. Chem. Int. Ed.* 55 (2016) 1830–1834.
- [21] L. Jiang, X. Yuan, G. Zeng, X. Chen, Z. Wu, J. Liang, J. Zhang, H. Wang, H. Wang, *ACS Sustain. Chem. Eng.* 5 (2017) 5831–5841.
- [22] L. Palmisano, V. Augugliaro, M. Bellardita, A. Di Paola, E. García-López, V. Loddo, G. Marci, G. Palmisano, S. Yurdakal, *ChemSusChem* 4 (2011) 1431–1438.
- [23] S. Samanta, S. Khilari, D. Pradhan, R. Srivastava, *ACS Sustain. Chem. Eng.* 5 (2017) 2562–2577.
- [24] J. Kou, C. Lu, J. Wang, Y. Chen, Z. Xu, R.S. Varma, *Chem. Rev.* 117 (2017) 1445–1514.
- [25] S. Yurdakal, V. Augugliaro, *RSC Adv.* 2 (2012) 8375–8380.
- [26] V. Augugliaro, T. Caronna, V. Loddo, G. Marci, G. Palmisano, L. Palmisano, S. Yurdakal, *Chem. Eur. J.* 14 (2008) 4640–4646.
- [27] J. Si, Y. Liu, S. Chang, D. Wu, B. Tian, J. Zhang, *Res. Chem. Intermed.* 43 (2017) 2067–2080.
- [28] M.J. Lima, P.B. Tavares, A.M.T. Silva, C.G. Silva, J.L. Faria, *Catal. Today* 287 (2017) 70–77.
- [29] S. Masashi, M. Shuji, *JP Patent*, 207, 797, 2011.
- [30] M. Bellardita, V. Loddo, G. Palmisano, I. Pibiri, L. Palmisano, V. Augugliaro, *Appl. Catal. B* 144 (2014) 607–613.
- [31] S. Hu, L. Ma, J. You, F. Li, Z. Fan, F. Wang, D. Liu, J. Gui, *RSC Adv.* 4 (2014) 21657–21663.
- [32] S.C. Yan, Z.S. Li, Z.G. Zou, *Langmuir* 25 (2009) 10397–10401.
- [33] X.J. Bai, L. Wang, Y.J. Wang, W.Q. Yao, Y.F. Zhu, *Appl. Catal. B* 152–153 (2014) 262–270.
- [34] S.F. Chen, Y.F. Hu, S.G. Meng, X.L. Fu, *Appl. Catal. B* 150–151 (2014) 564–573.
- [35] P. Niu, L. Zhang, G. Liu, H.M. Cheng, *Adv. Funct. Mater.* 22 (2012) 4763–4770.
- [36] Q.H. Liang, Z. Li, X.L. Yu, Z.H. Huang, F.Y. Kang, Q.H. Yang, *Adv. Mater.* 27 (2015) 4634–4639.
- [37] Z.C. Yang, J. Li, F.X. Cheng, Z. Chen, X.P. Dong, *J. Alloys Compd.* 634 (2015) 215–222.
- [38] Y.J. Sun, W.D. Zhang, T. Xiong, Z.W. Zhao, F. Dong, R.Q. Wang, W.K. Ho, *J. Colloid Interface Sci.* 418 (2014) 317–325.
- [39] F. Dong, Z.W. Zhao, T. Xiong, Z.L. Ni, W.D. Zhang, Y.J. Sun, W.K. Ho, *ACS Appl. Mater. Interfaces* 5 (2013) 11392–11398.
- [40] K. Nakamoto, *Infra-Red Spectra of Inorganic and Coordination Compounds*, Wiley, New York, 1963.
- [41] G. Socrates, *Infrared and Raman Characteristic Group Frequencies: Tables and Charts*, John Wiley and Sons, Chichester, 2001.
- [42] I. Krivstov, E.I. García-López, G. Marci, L. Palmisano, Z. Amghouz, J.R. García, S. Ordóñez, E. Díaz, *Appl. Catal. B* 204 (2017) 430–439.
- [43] Y. Zheng, L. Lin, B. Wang, X. Wang, *Angew. Chem. Int. Ed.* 54 (2015) 12868–12884.
- [44] G. Zhang, J. Zhang, M. Zhang, X. Wang, *J. Mater. Chem.* 22 (2012) 8083.
- [45] Y.J. Zhang, A. Thomas, M. Antonietti, X.C. Wang, *J. Am. Chem. Soc.* 131 (2008) 50–51.
- [46] J. Tauc, *Mater. Res. Bull.* 5 (1970) 37–46.
- [47] Y.J. Cui, Z.X. Ding, P. Liu, M. Antonietti, X.Z. Fu, X.C. Wang, *Phys. Chem. Chem. Phys.* 14 (2012) 1455–1462.
- [48] Q. Lin, L. Li, S. Liang, M. Liu, J. Bi, L. Wu, *Appl. Catal. B* 163 (2015) 135–142.
- [49] Z. Zhao, Y. Sun, Q. Luo, F. Dong, H. Li, W.K. Ho, *Sci. Rep.* 5 (2015) 14643.
- [50] S. Hu, L. Ma, J. You, F. Li, Z. Fan, G. Lu, D. Liu, J. Gui, *Appl. Surf. Sci.* 311 (2014) 164–171.
- [51] S.C. Yan, Z.S. Li, Z.G. Zou, *Langmuir* 26 (2010) 3894–3901.
- [52] G. Palmisano, M. Addamo, V. Augugliaro, E. García-López, V. Loddo, L. Palmisano, T. Caronna, *Chem. Commun.* 9 (2006) 1012–1014.
- [53] C. Lucarelli, A. Lolli, A. Giugni, L. Grazia, S. Albonetti, D. Monticelli, A. Vaccari, *Appl. Catal. B* 203 (2017) 314–323.